PARKER TILES PVT. LTD.

CORPORATE OFFICE:
702, Iscon Elegance, S.G. Highway, Ahmedabad 380 015, Gujarat, India.
Ph.: +91 90999 05252 / 05353 | Fax: +91 79 6616 8989

DISPLAY SHOWROOM:
107 - 108, Oreva Land Mark, Nr. Shiv Ajanta Hotel,
Morbi 363 646, Gujarat, India Ph.: +91 90999 88251

MANUFACTURING UNIT:
Surendranagar - Rajkot highway, Opp. Jasapar Bus Stop,
Nr. Muli Village 363 510, Gujarat, India. Ph.: +91 2756 233 185, 90999 93848

Email: info@soltiles.in Web: www.soltiles.in

www.wolvescreata.com

SPREADING LUXURY

COLLECTION

DIGITAL PGVT 1200x600mm | 600x600mm

An Innovated technology rediscovered

SOL
SPREADING LUXURY

What is a 4K?

4K printing is a high level, clear, quality digital printing that is the next step from high definition printing quality. Manufactured in high resolution pixels of 4000, this technology has been introduced by 'Sol Tiles' with a monopoly in this field. A modern era product meant for sharper and clearer printing on tiles with real, natural and microfine details.

Our R&D department has delicately worked upon the printing quality to set up the highest level in printing by inventing newer and better standards than ones available in the market today. Their sincere efforts have transformed today's tiles world with profound, quality printing.
We are launching three premium ranges in tiles with 4K printing namely Super Crystal, Sugar Finish and 8mm Slims in two sizes of 600x600mm and 600x1200mm.

By launching the 4K printing technology 'Sol Tiles' has made worthy name for itself. A Sole dealer in high quality tile printing.

ROTARY PRINT

DIGITAL PRINT

4K PRINT

SOL Tiles – an offshoot of Parker Tiles was established to introduce novel ceramic tiling solutions in the industry. A company firmly established on the values of professional excellence, design quality and transparent functions, SOL Tiles has its soul set in heralding new tiling trends that suit the need of the industry keeping comfort, practicability and space utilization in mind.

Bringing years of experience and expertise into practice and with smart amalgamation of creativity and technology, SOL Tiles churns collections that are always in vogue. More than tiles they are artistic representations that fulfill desires of customers. Products that take form after comprehensive R & D backed by stringent quality processes, tiling solutions from SOL Tiles can compete with international brands of Italy and Spain.

An eco-conscious company at heart, the company takes great care in maintaining nature's equilibrium and adopts eco-friendly practices. Also dedicated towards maintaining best relationship with both clients and employees, SOL Tiles works with highest integrity and transparency at every level.

SOL

SPREADING LUXURY



SOL
SPREADING LUXURY

Mission

We firmly believe in continual processes and product innovation to deliver the best of ceramic tiles with fine aesthetic qualities and durability. We have established innovation, integration and excellence as our fundamental principles; in other words, a dynamic goal geared towards continual improvement within the framework of sustainable growth.

Vision

Leveraging its vast accumulated experience, the company has set its sight on becoming an integrated provider of aesthetic and quality ceramic tiles to customers around the world. SOL believes in continuous renewal to realize its mission of becoming the ceramic company of choice for customers worldwide. We strive to achieve a consolidated, sustained and independent growth on an international basis that ensures long- term business success. Our state-of-the-art ceramic tiles are the result of clear vision, backed by definite plans and confidence along with a technically sound staff; thereby we are continually improving the position of our company and spreading luxury in people's lives.

Quality Policies

We constantly strive to achieve highest possible standards in our day-to-day work and in quality of goods and services we provide through innovative technology and meaningful human resource development. It is through our high standard quality management system by which we can assure our customers nothing but the best of our products and services.

The Complete & Perfect Tiling Solutions from **SOL TILES**

4K Digital

To impart the most accurate and aesthetically superior results to the tiles, SOL Tiles have adopted an all new 4K Digital Printing Technology. Bringing innovation to life for lifelike printing results on tiles, 4K Digital Printing technology is a revolutionary way to get more attractive and perfect effect on tiles.

High Strength

SOL Tiles promises beauty and elegance to your spaces for the lifetime as tiles of the portfolio comes with impeccable strength and toughness.

Multiple Application

With envious portfolio comprising the widest range of designs, SOL offers solutions for every space and place. From regular size to biggest ever size SOL Tiles offers various size options to fit in to ever dream project.

Eco Friendly

We believe in growing naturally and thus we put every practice in action to make sure nature's equilibrium is not disturbed. SOL is an environment conscious company and thus follows eco-friendly processes at every step.

Zero Maintenance

SOL Tiles are made at state of the art manufacturing set up with stringent quality control measures backed by extensive R & D ensuring products that keep the spaces cheerful and beautiful for the long time without any worry of maintenance.



4K COLLECTION

SOL
SPREADING LUXURY

4K DIGITAL

4K Digital

Imparting such crystal clarity in tile designs that even a small detail is like a small world of it's own with uneven and seemingly intricate lines, criss-crossing over a vast surface. Indeed 4K is a revolutionary step in high quality digital printing.



4K COLLECTION

SOL SPREADING LUXURY

Eco Friendly

We believe in growing naturally and thus we put every practice in action to make sure nature's equilibrium is not disturbed. SOL is an environment conscious company and thus follows eco-friendly processes at every step.



4K COLLECTION

SOL
SPREADING LUXURY

Zero Maintenance

SOL Tiles are made at state of the art manufacturing setup with stringent quality control measures backed by extensive R & D, ensuring products that keep the spaces cheerful and beautiful for a long time without any worry of maintenance.



Multiple Application

With envious portfolio comprising the widest range of designs, SOL offers solutions for every space and place. From regular size to biggest ever size, SOL Tiles offers various size options to fit into ever dream project.

4K COLLECTION

SOL SPREADING LUXURY

High Strength

Beauty and elegance with strength is indeed the best proposition when it comes to designing living spaces for a lifetime. SOL Tiles guarantees impeccable strength and toughness.

4K COLLECTION

SOL SPREADING LUXURY

PGVT

1200x 600mm

Grace your beautiful spaces with a collection where strength and beauty go hand in hand. An extensive collection is available in most exciting shades, designs and textures.

1200x600mm PGVT



BOLONIA BROWN

SOL
SPREADING LUXURY

CONCRETE GRIS

4K COLLECTION

1200x600mm PGVT

ELECTRO AMARILLO



4K Digital · High Strength · Multiple Application · Eco Friendly · Zero Maintenance

SOL — SPREADING LUXURY

ESCAMA BIANCO

4K COLLECTION

Bringing forth an artistic taste from Italy

4K Digital · High Strength · Multiple Application · Eco Friendly · Zero Maintenance

1200x600mm PGVT

MONTERO COFFEE

SOL
SPREADING LUXURY

MONTERO PEARL

4K COLLECTION

1200x600mm PGVT

BOTTICINO BEIGE

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL SPREADING LUXURY

VERONA BROWN

4K COLLECTION

Bringing joy and happiness as you stare across the surface

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT



ONYX MARBLE BETA

SOL
SPREADING LUXURY

TIFFANY WHITE

4K COLLECTION

Textures that bring life to designs

1200x600mm PGVT



SELENA MARBELLA

SOL
SPREADING LUXURY

SIRENA WHITE

4K COLLECTION

1200x600mm PGVT

LIRICA BEIGE



4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL
SPREADING LUXURY

TIVOLI BIANCO

4K COLLECTION

Beautiful designs meant for eternity

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT



A visual feast that delights the five senses

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

ARDESIA IVORY

SOL SPREADING LUXURY

ARDESIA GREY

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

4K COLLECTION

1200x600mm PGVT



Designs that give a soft, crème feel

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

MADERAS BLANCO

SOL
SPREADING LUXURY

LUNA CREMA

4K COLLECTION



4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

LISTELO MAROON

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL
SPREADING LUXURY

CENEFA BEIGE

4K COLLECTION



Interiors that display class & grandeur

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

PORSCHE BIANCO

SOL
SPREADING LUXURY

PORSCHE GOLD

4K COLLECTION

1200x600mm PGVT

VENICE PEARL



SOL
SPREADING LUXURY

VRATZA BROWN

4K COLLECTION

1200x600mm PGVT

GRANDA BEIGE



4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL
SPREADING LUXURY

DYNA REAL

4K COLLECTION

For the connoisseurs in Italian sophistication

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

ACURION MARBLE

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL SPREADING LUXURY

DEVON BEIGE

4K COLLECTION

Temptation is real, very real when
it comes to ravishing beauty

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

XENO BEIGE





Turning interiors into heavenly vision

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

MARBLE FLAVIA

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

CANNES CHOCOLATE







KRYPTON CREMA

The cream in designs, scooped by watchful designers.

1200x600mm PGVT



WISCON BEIGE

SOL
SPREADING LUXURY

NORWAY BEIGE

4K COLLECTION

600x1200mm PGVT



ACANTO PEARL

SOL
SPREADING LUXURY

ANCINA MARBLE

4K COLLECTION



600x1200mm PGVT

CALCUTTA WHITE



Relive urbane luxury, with creative decor

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL SPREADING LUXURY

ONICE BROWN

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

600x1200mm PGVT

MICRON BEIGE



4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL SPREADING LUXURY

IMPERO BEIGE

4K COLLECTION

Creative energies that transform into creative matter.

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

600x1200mm PGVT

TWILIGHT GREY

Sifting through the ordinary,
revealing the extra-ordinary

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL
SPREADING LUXURY

LIRICA BEIGE

4K COLLECTION





4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

MARFIL BEIGE

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL SPREADING LUXURY

MILANO BEIGE

4K COLLECTION

Creative designs that create an aura of sentient divine

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT



MADRID CHOCO

SOL
SPREADING LUXURY

4K COLLECTION

MADRID IVORY

1200x600mm PGVT

MOURA ONYX



OLMO GRIS



Can't get ones eye off of those gleaming surfaces

1200x600mm PGVT



ONYX BONE

SOL
SPREADING LUXURY

ONYX RIVER

4K COLLECTION



1200x600mm PGVT

VENETO BIANCO



SOL
SPREADING LUXURY

SEIRRA WHITE

4K COLLECTION

Serenity: Defined by creative designs and mesmerizing colors

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

ONYX GREEN BETA

SOL
SPREADING LUXURY

ONYX PEARL BIANCO

4K COLLECTION



1200x600mm PGVT

TRAVERTINE REAL



TRAVERTINE GOLD

Bring life to the inanimate,
with designs that instill life force

1200x600mm PGVT

TURKEY ICE

Neighbor's envy, owner's pride

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL SPREADING LUXURY

VENEZULA BIANCO

4K COLLECTION

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

1200x600mm PGVT

VENEZULA BEIGE



4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

SOL
SPREADING LUXURY

VENEZUALA BROWN





Surface so clear ,one can can see one's own self

4K Digital | High Strength | Multiple Application | Eco Friendly | Zero Maintenance

TECHNICAL SPECIFICATION OF SOL TILES

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP	MEAN VALUE OF SOL PGVT	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	± 0.5 %	± 0.1 %	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.0 %	ISO-10545-2
Straightness in side	± 0.5 %	± 0.1%	ISO-10545-2
Rectangularity	± 0.5 %	± 0.1%	ISO-10545-2
Surface flatness	± 0.5 %	± 0.1 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	≤ 0.50 %	≤ 0.50 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.0 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm2	Min. 40 N/mm2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface Abrasion Resistance	As per mfg	Min. Class-4	ISO-10545-7
MOH's Hardness	As per mfg	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damge	No damge	ISO-10545-12
Thermal shock resistance	No damge	No damge	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10.6	Max. 6.5x10^{6}	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damge	No damge	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	>0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N.A
Lead & Cadmium given off by glazed tiles	As per mfg	Dous not yield Pb & Cd	ISO-10545-15

SOL
SPREADING LUXURY

MAINTENACE GUIDELINES FOR PGVT

4K COLLECTION

STAINS (CREATED BY)	SOLVENTS (TURPENTINE, ACETONE TRICHLOROETHYLENE, ETC.)	SODIUM HYPO CHLORIDE (NaOCl)	ACIDS (HYDROCHLORIC ACID*)	ALKALI (SODIUM HYDROXIDE/ POTASSIUM HYDROXIDE)
BEVERAGES BEER				✓
JUICES		✓		
COLA				✓
COFFEE				✓
TEA	✓	✓		
INK BALL/FELT PEN	✓			
LIQUID INK	✓		✓	
MARKER INK	✓			
MISCELLANEOUS CEMENT			✓	
TAR	✓			
CALCAR			✓	
EDIBLE OIL	✓			
CIGARETTE			✓	
GLUE	✓			✓
ICE CREAM				✓
PAINTS	✓		✓	
RESINS	✓			
RUST			✓	
BLOOD				✓

**Commercial grade acid & solvents should not be used.*

TILE FIXING INSTRUCTIONS

1. Plaster the surface of the floor where the tiles will be laid with smooth finish and complete the plastering and curing at least two weeks prior to laying.
2. Before fixing SOL tiles, lay them out in the desired pattern and make sure That they give an acceptable blend of colour. Please note that certain amount of shade variation is inherent in the manufacture of fully vitrified ceramic tiles. THE COMPANY WILL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
3. The company bears no responsibility towords the tiles exposed to any outside process like transfers, printing, firing etc.
4. For fixing SOL, we recommend the use of tile fixing adhesives for best results. Also follow the fixing instructions provided along with the adhesives.
5. For fixing SOL tiles on the floor, using sand and cement, follow the instructions given below:
   (a) use cement and sand mortar in the ratio of 1:4. Add some water to create a consistent paste.
   (b) Once the mixing has completed do not add any further water and use the same within one hour.
   (c) Apply a 20-30 mm, layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and full bedding. Press gently for even adherence at the back of the tile. DO NOT USE AN IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILE.
6. For fixing SOL tiles on Dado, we recommend the use of tile fixing adhesive with proper troweling method for 100 per cent coverage behind the tiles and for peerless bonding. Please follow the manufacturer's instructions for the same. We do not recommend the use of sand and cement for fixing on Dado.
7. Make and lay out the tiles from the center of the area to be laid so that cut tiles, if any, will be on the outer edges towards the walls.
8. The work size which we try to maintain for better technical performance is 600 x 600mm, 800 x 800mm, 600 x 1200mm on average. It is advisable to maintain a gap of 1 mm to 2 mm between every two tiles to allow for possible expansion as per BIS/EN tolerance norms.
9. Complete the laying process by pressing the cut SOL tiles firmly into place along the wall/floors.
10. Allow 3-4 days for bed curing. After this period fill the joints with grouts. Usage of grout sealant is recommended for keeping the grout free of dust.
11. Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tiles with a soft and dry cloth for a clean surface. The tiles can also be cleaned with a mild acid (However, Hydrofluoric acid and its derivatives should not be used).
12. Please note that the company does not accept any liability un case of problems arising out of non-adherence these fixing instructions.

Kindly look for the arrow (➤⟶) on the back of the tile and follow the laying pattern as shown in Pic-1:



SR.NO	PRODUCT	SIZE	THICKNESS	NO. OF TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	1200X600MM	12 mm	2 PCS.	1.44 SQ. MTR.
2	VITRIFIED TILES	600X600MM	9 mm	4 PCS.	1.44 SQ. MTR.

NOTE: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer are advised to inspect a sample of tiles before ordering, every effort has been made to ensure the accuracy of the information given. However, the Company research the right to change the specifications Without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing Instruction on the cartons of the tiles as no responsibility can be accepted by the once the tiles have been fixed.

NETWORK

SPREADING LUXURY ACROSS THE WORLD



*Map not to scale

INTERNATIONAL OFFICES

UAE
Post Box #150742, Sharjah,
The United Arab Emirates
Ph. : +97150 2605897, 6560563
Email : vp.uae@soltiles.in, gm.uae@soltiles.in

UK
246, Bevelly Drive, Queens Burry, HA 85NB, London, England.
Ph.: +44-77609 99620
Email : uk@soltiles.in

AUSTRALIA
44, Claremount Avenue, Greenacre, NSW 2190, Australia.
Ph.: +65-96707440
Email : aus@soltiles.in

KENYA
Off. Enterprise Road, Ind. Area, P.O. Box - 18583-00500, Kenya
Ph. : +254 20 6651164
Email : kenya@soltiles.in

HONGKONG
17 D, 3 Victoria Tower, 188 Canton Roadm Tsimshatsui,
Kowloom, Hongkong
Email : hk@soltiles.in

SINGAPORE
Block No. 109, Lengkong Tiga, Singapore.
Ph.: +65-96707440
Email : sg@soltiles.in

SOUTH AFRICA
Cramond Road, Campsbay,
Cape Town, South Africa, 8005
Email : sa@soltiles.in